






HSM FA 500.2 Premium

Rovert Equipment Co Ltd Tel: 0151 336 2122 www.paper-handling-uk.com

Mobile, top model for IT departments, archives or as a central shredding point. Also suitable for shredding CDs and floppy disks, can even shred entire files and folders. The sturdy technology has been especially designed for a large throughput and long total operating time. Integrated, manual oiler for cutting unit. Material intake via loading table and electric conveyor belt. Stand-by mode with LED indicator. Keypad control for constant operation and reverse. Automatic stop and reverse in the event of paper jam. Shredded material transported out of the cutting unit by a conveyor belt. Made in Germany.

Product type description	HSM FA 500.2 PREMIUM 10,5 x 40-76	HSM FA 500.2 PREMIUM 7,5 x 40-80
Order number	1658134	1656134
EAN Code	4026631023016	4026631022989
Shredder material		
Cutting type	particle cut	particle cut
Security level	2	2
Cutting width	10.5 mm	7.5 mm
Particle length	40 - 76 mm	40 - 80 mm
Cutting capacity (70g/m ²)	600 - 650	500 - 550
Cutting capacity (80g/m ²)	510 - 550	425 - 470
Intake width	500 mm	500 mm
Container volume / collecting container	360 l	360 l
Cutting speed	210 mm/s	210 mm/s
Noise level (idle operation)	63 dB	63 dB
eclass 5.1	24320704	24320704
UN/SPSC	44101603	44101603
Power consumption of the motor	9200 W	9200 W
Voltage	400 V	400 V
Frequency	50 Hz	50 Hz
Depth	2510 mm	2510 mm
Width	1155 mm	1155 mm
Height	1410 mm	1410 mm
Weight	725 kg	725 kg

Product type description	HSM FA 500.2 PREMIUM 6 x 40-53
Order number	1654134
EAN Code	4026631022965
Shredder material	
Cutting type	particle cut
Security level	3
Cutting width	6 mm
Particle length	40 - 53 mm
Cutting capacity (70g/m ²)	400 - 450
Cutting capacity (80g/m ²)	340 - 380
Intake width	500 mm
Container volume / collecting container	360 l
Cutting speed	210 mm/s
Noise level (idle operation)	63 dB
eclass 5.1	24320704
UN/SPSC	44101603
Power consumption of the motor	9200 W
Voltage	400 V
Frequency	50 Hz
Depth	2510 mm
Width	1155 mm
Height	1410 mm
Weight	725 kg